

**CORN DISCOUNT SCHEDULE
CANTON TERMINAL & SUMNER COUNTY**

Moisture	% Dock
15.6	0.40
15.7	0.60
15.8	0.80
15.9	1.00
16.0	1.20
16.1	1.40
16.2	1.60
16.3	1.80
16.4	2.00
16.5	2.20
16.6	2.40
16.7	2.60
16.8	2.80
16.9	3.00
17.0	3.20
17.1	3.45
17.2	3.70
17.3	3.95
17.4	4.20
17.5	4.45

Moisture	% Dock
17.6	4.70
17.7	4.95
17.8	5.20
17.9	5.45
18.0	5.70
18.1	5.95
18.2	6.20
18.3	6.45
18.4	6.70
18.5	6.95
18.6	7.20
18.7	7.45
18.8	7.70
18.9	7.95
19.0	8.20
19.1	8.45
19.2	8.70
19.3	8.95
19.4	9.20
19.5	9.45

Moisture	% Dock
19.6	9.70
19.7	9.95
19.8	10.20
19.9	10.45
20.0	10.70
20.1	10.95
20.2	11.20
20.3	11.45
20.4	11.70
20.5	11.95
20.6	12.20
20.7	12.45
20.8	12.70
20.9	12.95
21.0	13.20
21.1	13.45
21.2	13.70
21.3	13.95
21.4	14.20
21.5	14.45

moisture limits will be determined by the location

Test Weight:	
53.9 - 53.0	\$0.08
52.9 - 52.0	\$0.16
51.9 - 51.0	\$0.24
50.9 - 50.0	\$0.32
49.9 - 49.0	\$0.42
48.9 - 48.0	\$0.52
47.9 - 47.0	\$0.62
46.9 - 46.0	\$0.72
45.9 - 45.0	\$0.82
plus \$.10 each # under 45	

Broken Kernels/ Foreign Material:	
3.1 - 4.0%	1.0%
4.1 - 5.0%	2.0%
5.1 - 6.0%	3.0%
6.1 - 7.0%	4.0%
7.1 - 8.0%	5.0%
8.1 - 9.0%	6.0%
9.1 - 10.0%	7.0%
Continues at 1% for each 1% of BCFM above 10%	

Damage:	
5.1 - 6.0	\$0.02
6.1 - 7.0	\$0.04
7.1 - 8.0	\$0.08
8.1 - 9.0	\$0.12
9.1 - 10.0	\$0.16
10.1 - 11.0	\$0.22
11.1 - 12.0	\$0.28
12.1 - 13.0	\$0.34
13.1 - 14.0	\$0.40
14.1 - 15.0	\$0.46
plus \$.06 for each 1% over 15.0%	

Heat Damage:	
.3 - 1.0	\$0.05
1.1 - 1.5	\$0.10
1.6 - 2.0	\$0.15
2.1 - 2.5	\$0.20
2.6 - 3.0	\$0.25
3.1 - 3.5	\$0.30
3.6 - 4.0	\$0.35
4.1 - 4.5	\$0.40
4.6 - 5.0	\$0.45
5.1 - 5.5	\$0.50
plus \$.05 for each 1/2% over 5.5%	

Aflatoxin:	
100 - 150	\$1.00
151 - 200	\$1.50
201 +	\$2.00

Cockleburs:	\$0.05
Musty:	\$0.10
Sour:	\$0.10
Infested:	\$0.10
Stones:	\$0.20
COFO:	\$0.20

State grade fees apply to aflatoxin
Subject to elevator's ability to handle
Subject to rejection over 200 ppb