

**CORN DISCOUNT SCHEDULE
MID-WEST FERTILIZER**

Moisture:	
15.6 - 16.0	\$0.03
16.1 - 16.5	\$0.08
16.6 - 17.0	\$0.13
17.1 - 17.5	\$0.18
17.6 - 18.0	\$0.23
18.1 - 18.5	\$0.28
18.6 - 19.0	\$0.35
19.1 - 19.5	\$0.42
19.6 - 20.0	\$0.49
20.1 - 20.5	\$0.56
20.6 - 21.0	\$0.63
plus \$.07 each half over 21	

Test Weight:	
53.9 - 53.0	\$0.03
52.9 - 52.0	\$0.06
51.9 - 51.0	\$0.09
50.9 - 50.0	\$0.12
49.9 - 49.0	\$0.18
48.9 - 48.0	\$0.24
47.9 - 47.0	\$0.30
46.9 - 46.0	\$0.36
45.9 - 45.0	\$0.41
44.9 - 44.0	\$0.45
43.9 - 43.0	\$0.49
plus \$.04 each # under 43	

Broken Kernels/ Foreign Material:	
3.1 - 4.0%	1.0%
4.1 - 5.0%	2.0%
5.1 - 6.0%	3.0%
6.1 - 7.0%	4.0%
7.1 - 8.0%	5.0%
8.1 - 9.0%	6.0%
9.1 - 10.0%	7.0%
Continues at 1% for each 1% of BCFM above 10%	

moisture limits will be determined by the location

Damage:	
5.1 - 6.0	\$0.02
6.1 - 7.0	\$0.04
7.1 - 8.0	\$0.08
8.1 - 9.0	\$0.12
9.1 - 10.0	\$0.16
10.1 - 11.0	\$0.22
11.1 - 12.0	\$0.28
12.1 - 13.0	\$0.34
13.1 - 14.0	\$0.40
14.1 - 15.0	\$0.46
plus \$.06 for each 1% over 15.0%	

Aflatoxin:	
21 - 50	\$0.25
51 - 75	\$0.45
76 - 100	\$0.75
101 - 199	\$1.00
200 +	\$2.00

Cocklebur:	\$0.05
Musty:	\$0.10
Sour:	\$0.10
Infested:	\$0.10
Stones:	\$0.20

state grade fees will apply to aflatoxin
subject to elevator's ability to handle
subject to rejection over 200 ppb

ALL DISCOUNTS SUBJECT TO CHANGE WITHOUT NOTICE
Effective August 19, 2019